

# PM43, PM43C, PM23c Configuration/Migration Guide



# Content

- Main Models
- UI Part Numbering Differentiation
- Configuration Structure
- Part Number Migration
- Accessories

# Main Models

PM43



PM43 Icon  
Tamper-proof Icon UI version



PM43 Color Touch  
Tamper-proof - Password protected Color Touch UI

PM43c



PM43C Color Touch  
Compact Tamper - Proof - Password protected Color Touch UI



PM43C Icon  
Tamper-proof Icon UI version

PM23c



PM23C Color Touch  
Compact Tamper - Proof - Password protected Color Touch UI



PM23C Icon  
Tamper-proof Icon UI version

# Main Models

## User Interface



PM43 Icon  
**PM43A0.....**



PM43 Color Touch  
**PM43A1.....**





PM43C and PM23C Color Touch  
**PM43CA1..... PM23CA1.....**



PM43C and PM23c Icon  
**PM43CA0..... PM23CA0.....**


# PM43 Configuration Structure

PM43





# PM43C Configuration Structure

PM43c




# PM23C Configuration Structure

PM23c



# PM4i to PM43 Base Configuration



Last digit represents power cord  
1=USA, 2 = EU

# PM4i to PM43 Configuration Bridge

Most Common PM4i Configurations	Replacement PM43 Configurations	Last add-on digit = Power Cord	PM43 Description
PM4D01000000020 PM4, Ethernet, TT, 203dpi	PM43A1100000020_	1 or 2	PM43, LCD Touch Panel, Ethernet, TT, 203dpi
	PM43A0100000020_	1 or 2	PM43, Icon, Ethernet, TT, 203dpi
	PM43A1100000021_	1 or 2	PM43, LCD Touch Panel, Ethernet, DT, 203dpi
	PM43A0100000021_	1 or 2	PM43, Icon, Ethernet, DT, 203dpi
PM4D010000005020 PM4, Ethernet, TT, 203dpi, Label Dispenser / Rewind	PM43A1100004020_	1 or 2	PM43, LCD Touch Panel, Ethernet, TT, 203dpi, Label Dispenser/Rewinder
	PM43A0100004020_	1 or 2	PM43, Icon, Ethernet, TT, 203dpi, Label Dispenser/Rewinder
PM4D010000000030 PM4, Ethernet, TT, 300dpi	PM43A1100000030_	1 or 2	PM43, LCD Touch Panel, Ethernet, TT, 300dpi
	PM43A0100000030_	1 or 2	PM43, Icon, Ethernet, TT, 300dpi
PM4D020000000020 PM4, TT, 203dpi, wireless	PM43A1200000020_	1 or 2	PM43, LCD Touch Panel, TT, 203dpi, wireless
	PM43A1200000040_	1 or 2	PM43, LCD Touch Panel, TT, 406dpi, wireless
PM4D010000000040 PM4, Ethernet, TT, 406dpi	PM43A1100000040_	1 or 2	PM43, LCD Touch Panel, Ethernet, TT, 406dpi
PM4D010000005120 PM4, Ethernet, TT, 203dpi, Label Dispenser / Rewind, RTC	PM43A1100004121_	1 or 2	PM43, LCD Touch Panel, Ethernet, DT, 203dpi, Label Dispenser/Rewinder, RTC
	PM43A0100004121_	1 or 2	PM43, Icon, Ethernet DT, 203dpi, Label Dispenser/Rewinder, RTC
	PM43A1100004020_ Add RTC (Available soon)	1 or 2	PM43, LCD Touch Panel, Ethernet, TT, 203dpi, Label Dispenser/Rewinder + Order RTC Separately
PM4D011000000020 PM4, Ethernet, TT, 203dpi, Parallel port	PM43A1101000021_	1 or 2	PM43, LCD Touch Panel, Ethernet, DT, 203dpi, Parallel
	PM43A1100000020_ Add Parallel (270-188-001)	1 or 2	PM43, LCD Touch Panel, Ethernet, TT, 203dpi + Order Parallel port separately
	PM43A0100000020_ Add Parallel (270-188-001)	1 or 2	PM43, Icon, Ethernet, TT, 203dpi + Order Parallel port separately
PM4D010500005120 PM4, Ethernet, TT, 203dpi, RFID EU, Label Dispenser / Rewind, RTC	PM43A11EU004120_	2	PM43, LCD Touch Panel, Ethernet, TT, 203dpi, Label Dispenser/Rewinder, RTC, RFID EU
PM4D011000005020 PM4, Ethernet, TT, 203dpi, Parallel port, Label Dispenser / Rewind, LTS	PM43A1101004021_	1 or 2	PM43, LCD Touch Panel, DT, 203dpi, parallel, Label Dispenser/Rewinder
	PM43A1100004020_ Add Parallel (270-188-001)	1 or 2	PM43, LCD Touch Panel, Ethernet, TT, 203 dpi, Label Dispenser/Rewinder + Order Parallel Port separately
PM4D011400005120 PM4, Ethernet, TT, 203dpi, RFID US, Label Dispenser / Rewind, RTC	PM43A11NA004120_	1	PM43, LCD Touch Panel, Ethernet, TT, 203dpi, Label Dispenser/Rewinder, RTC, RFID US

# PM43C Part Number Transition

PF4i main configuration

**PF4ID00100000020**

PF4ID Long door, TTR, 203dpi

**PM43CA1130000202**

PM43C Full Touch, TTR, 203 dpi

**PM43CA0100000202**


PM43C Icon, TTR, 203 dpi

Last digit represents power cord  
1=USA, 2 = EU

# PF4i to PM43C Configuration Bridge

Most common PF4i Configurations	PM43C Configurations	Last add-on digit = Power Cord 1 = US 2 = EU	PM43C Description
PF4ID00100000020PF4, TT, 203dpi, Normal door	PM43CA113000020_	1 or 2	PM43c, LCD Touch Panel, Ethernet, TT, 203dpi
	PM43CA010000020_	1 or 2	PM43c, Icon, Ethernet, TT, 203dpi
PF4ID00100000021 PF4, DT, 203dpi, Normal door	PM43CA113000021_	1 or 2	PM43c, LCD Touch Panel, Ethernet, DT, 203dpi
	PM43CA010000021_	1 or 2	PM43c, Icon, Ethernet, DT, 203dpi
PF4ID00100001021 PF4, DT, 203dpi, Normal door, Label dispenser,	PM43CA113004021_	1 or 2	PM43c, LCD Touch Panel, Ethernet, DT, 203dpi, Rewinder
	PM43CA010004021_	1 or 2	PM43c, Icon, Ethernet, DT, 203dpi, Rewinder
PF4ID00100001120 PF4, TT, 203dpi, Normal door, Label dispenser, RTC	PM43CA113004120_	1 or 2	PM43c, LCD Touch Panel, Ethernet, TT, 203dpi, Rewinder, RTC
	PM43CA114004120_	1 or 2	PM43, LCD Touch Panel, Ethernet, TT, 203dpi, Short Door, Rewinder, RTC
PF4ID00100001020 PF4, TT, 203dpi, Normal door, self-strip	PM43CA113004020_	1 or 2	PM43c, LCD Touch Panel, Ethernet, TT, 203dpi, Rewinder
PF4ID00110000021 PF4, DT, 203dpi, Normal door, parallel	PM43CA010010021_	1 or 2	PM43c, Icon, Ethernet, DT, 203dpi, parallel port
PF4ID01100000021 PF4, DT, 203dpi, Short door	PM43CA011010021_	1 or 2	PM43c, Icon, Ethernet, DT, 203dpi, Short door
PF4ID01100001120 PF4, TT, 203dpi, Short door, Label dispenser, RTC	PM43CA114004120_	1 or 2	PM43c, LCD Touch Panel, Ethernet, TT, 203dpi, Short door, Rewinder, RTC
PF4ID01100001121 PF4, DT, 203dpi, Short door, Label dispenser, RTC	PM43CA114004121_	1 or 2	PM43c, LCD Touch Panel, Ethernet, DT, 203dpi, Short door, Rewinder, RTC
PF4ID011000001130 PF4, TT, 300dpi, Short door, Label dispenser, RTC	PM43CA114004130_	1 or 2	PM43c, LCD Touch Panel, Ethernet, TT, 300dpi, Short door, Rewinder, RTC
PF4ID01200010021 PF4, DT, 203dpi, Short door, Wireless, Rewinder	PM43CA123004021_	1 or 2	PM43c, LCD Touch Panel, DT, 203dpi, Rewinder, Wireless
	PM43CA020000021_	1 or 2	PM43c, Icon, DT, 203dpi, Wireless
PF4ID02100000020 PF4, TT, 203dpi, Dome door	PM43CA115000020_	1 or 2	PM43c, LCD Touch Panel, TT, 203dpi, Dome door
PF4ID03100030020 PF4, TT, 203dpi, Industrial door			

# PM23C Part Number Transition



Last digit represents power cord  
1=USA, 2 = EU

# 3240, PF2i to PM23c Configuration Bridge

Including Airline Specific Configurations

	PF2i and 3240 Non-Airline configuration		PM23c Non-Airline configurations		Last digit = power cord 1=US, 2=EU 3=UK...
1	PF2ID00100001121	PF2i, Long Door,Rewinder,RTC,DT203	PM23C Icon, Long Door, Rewinder, RTC, DT, 203 dpi	PM23CA010002121_	1 or 2
2			PM23C Full Touch, Long Door, Rewinder, RTC, DT, 203 dpi	PM23CA110002121_	1 or 2
3	PF2ID00100000020	PF2i, Long Door,TT203	PM23C Icon, Long Door, TTR, 203 dpi	PM23CA010000020_	1 or 2
4			PM23C Full Touch, Long Door, TTR, 203 dpi	PM23CA110000020_	1 or 2
5	PF2ID00100000021	PF2i, Long Door, DT203	PM23C Icon, Long Door, DT, 203 dpi	PM23CA010000021_	1 or 2
6	PF2ID01100000020	PF2i, Short Door, TT203	PM23C Icon, Short Door, TT, 203 dpi	PM23CA011000020_	1 or 2
7	3240B0010000	3240B,US115,No Internet,128KI,Std	PM23C Full Touch, Dome Door, Rewinder, RTC, TTR, 406 dpi	PM23CA112002140_	1 or 2
8	No Equivalent Legacy Configuration		PM23C Full Touch, Long Door, Rewinder, RTC, TTR, 300dpi	PM23CA110002130_	1 or 2
9	No Equivalent Legacy Configuration		PM23C Full Touch, Touchless, Dome Door, Rewinder, RTC, TTR, 406 dpi (Demo ONLY)	PM23CA112002240_	1 or 2
	<b>PF2i and PF4i Airline configuration</b> (Airline Configuration are specials - Not in Price Guide) XX= Airline app (A1 = AEA, S1 or 2 = Sita, M1 or 2 = Amadeus, R1 or 2 = ARINC...)		<b>PM23c Airline configurations</b> (Airline Configuration are specials - Not in Price Guide) XX= Airline app (A1 = AEA, S1 = Sita, M1 = Amadeus, R1 = ARINC...)		
10	PF2TE810000221XX	PTR,PF2T,US,SH,HGR,LTS,DT,203,XX = Airline app.	PM23TA,Icon,ETH,Short Door,FAD,,LTS,HGR,DT203,,EU+RTC	PM23TA0400121XX_	1, 2, 3...
11	PF2TE820000221XX	PTR,PF2T,US,DOME,HGR,LTS,DT,203,XX = Airline app.	PM23TA,Icon,ETH,BT,FAD,,LTS,HGR,DT203,,EU+RTC	PM23TA0500121XX_	1, 2, 3...
12	PF2TE810000221XX	PTR,PF2T,US,SH,HGR,LTS,DT,203,XX = Airline app.	PM23TA,FT,ETH,SH,FAD,,LTS,HGR,DT203,,EU+RTC	PM23TA1400121XX_	1, 2, 3...
13	PF2TE820510221XX	PTR,PF2T,DOME,RFID ETSI,LH,LTS,DT,203, XX = Airline app	PM23TA,FT,ETH,BT,FAD,RFID EU,LTS,HGR,DT203,,EU+RTC	PM23TA15EU121XX_	1, 2, 3...
14	PF4TE810000223XX	PTR,PF4T,US,HALF,HGR,LTS,DT,203,S2	PM23TA, FT, ETH, Short Door, DT 203 dpi	PM43TA1100121XX_	1, 2, 3...
15			PM23TA, Icon, ETH, Short Door, DT 203 dpi	PM43TA1100121XX_	1, 2, 3...

# SAP Configuration Abbreviation Description

- OB = One Button or Icon User Interface
- FT = Full Touch or Touch User Interface
- China = Simplified Chinese UI
- NEA = North East Asia (Korean, Traditional and Simplified Chinese)
- ROW = Rest of the World (All other languages)
- ETH = Ethernet
- HGR = Media Hanger (Fixed Hanger)
- PI = Parallel Port
- WIFI = WiFi and Bluetooth
- REW = Rewinder
- LTS = Label Taken Sensor
- RTC = Real Time Clock
- HGR + R = Media Hanger + RTC (On PM43C ONLY)
- TT = Thermal Transfer
- DT = Direct Thermal
- 203 = 203 dots per inch
- 300 = 300 dots per inch
- 406 = 406 dots per inch
- LG = Long Door (on PM43C ONLY)
- SH = Short Door (on PM43C ONLY)
- DM = Dome Door (on PM43C ONLY)