

„Panel Update“ for your Operator’s Manual SOLID 50 A3-3

Your SOLID 50 A3-3 is equipped with a new panel unit. Please use these pages to get familiar with the new one.

Please note: The pictures and graphics in your Operator’s Manual still show the older panel version – please use this pages to “adapt” the pictures and graphics.

There are **two new panel versions**:

If your new panel looks like this ...

(Version L)



... please **refer to page 2 up to 5** of this leaflet.

If your new panel looks like this ...

(Version X)



... please **refer to page 6 up to 8** of this leaflet.

5.3. ***New Control Panel Version L***



5.4. Function of the Control Panel Elements

Display (four lines)

The display (panel) serves to show the printer's status messages.

LED



The printer is ready to receive data from the host (the printer is ON LINE).



The printer is not ready to receive data from the host (OFF LINE).
The control panel keys are active.





















An error occurred in the printer. The printer is OFF LINE.

Panel keys (Compatibility Table for the panel Version L)

Graphics shown in the Operator's Manual:


New Panel keys:

	Back 	This key is used to get back into the next higher level of the menu structure. As an alternative the  key can be used as well.
		Using this key confirms inputs and releases functions. As an alternative the  key can be used as well.
	Menus 	This key turns the printer ON / OFF LINE.
		
		These keys are used for working within the different levels of the menu structure.
		(The menu structure and the panel functions are still the same as described in the Operator's Manual).
		Using this key confirms inputs and releases functions.
	Back 	Using this key a RESET is released in the OFF LINE mode. You can back out e.g. error messages by a RESET.



The Number Block is useful to enter new function values (for example the IP address of the printer).

5.3. ***New Control Panel Version X***



5.4. Function of the Control Panel Elements

Display

(four lines)

The display (panel) serves to show the printer's status messages.


LED



The printer is ready to receive data from the host (the printer is ON LINE).



The printer is not ready to receive data from the host (OFF LINE).
The control panel keys are active.

















An error occurred in the printer. The printer is OFF LINE.

Panel keys (Compatibility Table for the panel Version X)

Graphics shown in the Operator's Manual:

New Panel keys:

		<p>This key is used to start the printing of a status sheet.</p>
		<p>This key is used to get back into the next higher level of the menu structure.</p>
		<p>Using this key confirms inputs and releases functions.</p>
		<p>This key turns the printer ON / OFF LINE.</p>
		<p>These keys are used for working within the different levels of the menu structure.</p>
		
		<p>(The menu structure and the panel functions are still the same as described in the Operator's Manual).</p>
