

- +RELIABILITY
- +PLUG & PRINT
- +PRODUCTIVITY
- +EASE OF USE
- +GREEN
- +CHOICES

## TallyGenicom 6600 line printer specifications

the Power  
of



1.866-430.6202

 **TallyGenicom<sup>®</sup>**  
BY PRINTRONIX



The next generation TallyGenicom 6600 line matrix printers transform product innovations into the Power of Plus. Seamless integration into your current workflow will enable you to reap the benefits from the improved reliability, productivity and environmental advantages.

The 6600 family is available in a choice of printing speeds, including 500, 1000, 1500 and 2000 lines per minute. All models in the 6600 family are ENERGY STAR® qualified and are fully compatible, direct replacements for earlier TallyGenicom printers. The total cost of ownership has been dramatically improved through a 30% reduction in consumable cost per page. Together, these innovations present a compelling reason to upgrade your printing solution to the TallyGenicom 6600 family.



## OPEN PEDESTAL

The 6600 Open Pedestal is the dependable workhorse line matrix printer that forms the foundation of the 6600 Series. It is presented in a small footprint with the convenience of either top tear or rear feed and can be accessorized with a front tray and two different rear trays. Like all the printers in the 6600 family, the open pedestal is ENERGY STAR qualified and is ready to plug into your network and start printing from day one.

## CABINET

The 6600Q Cabinet is the quiet choice in our mission-critical line matrix printer line-up. It is perfect for those who work in noise sensitive areas and need direct access to a quiet industrial strength printer. This is the top-of-the-line printer in the 6600 family, configured in a fully enclosed sound reduction cabinet with access from the front, top and rear. Innovative options can customize the 6600Q for your printing needs.

## ZERO TEAR

The 6600Z Zero Tear is the specialized line matrix printer choice for customers using multi-part and serialized documents that require single form tear-off usability. The 6600Z is the perfect choice to minimize waste of expensive forms such as pre-printed tickets. Through its unique tractor configuration, the 6600Z pushes pre-printed media through the hammer bank, eliminating waste of valuable forms.

## QUIET PEDESTAL

The 6600 Quiet Pedestal comes equipped with all the built-in quality, reliability and performance of the top-of-the-line TallyGenicom 6600Q Cabinet printer, in a smaller and more compact footprint. It is the perfect line matrix printer solution for customers looking for a quiet, versatile, dependable, pedestal-style printer for use in an office with space limitations.

1.866-430.6202






**+ FASTER** = Higher productivity. Better workflow. Less waiting for forms and documents to print.

**+ IMPROVED PRINT QUALITY** = Easier to read forms, especially in poorly lit environments. A higher impact force improves printing on multi-page forms.

**+ ENERGY STAR QUALIFIED** = A newly designed power conservation system provides savings on energy costs and reduces wear and tear on the printer.



## 6600 Series INNOVATIONS:



**+ THE NEW MICRO PLATEN ADJUSTER** = Improved print reliability and handling for a wider variety of forms, such as multi-part, heavy, recycled and light stock.

**+ REDESIGNED TRACTOR GATE SYSTEM** = Faster paper loading with less waste. The new tractor gate system reduces the number of gates from four to two. This is especially helpful on difficult to print forms.



**+ ALL NEW SHUTTLE DESIGN** = With even more reliability and higher performance than earlier models, the shuttle has been entirely re-engineered. This new design (top of photo) requires less service and improves print quality compared to the previous shuttle (shown below new shuttle).



**+ LONGER LASTING INK** = Fewer ribbon changes yield more productivity and contribute to a lower cost of ownership.

**+ LEADING EDGE RIBBON TECHNOLOGY** = Less IT interventions and less down time, delivered by a patented feature that is only available with genuine TallyGenicom consumables.

**+ EMBEDDED MICROCHIP** = Gives you precise, integrated control over ribbon life, print quality and most importantly, operating costs. Boost productivity by preventing interruptions of long print runs.

**+ NEW COMPACT CARTRIDGE DESIGN** = A more efficient use of materials contributes to less shipping, packaging and storage costs.

**+ ENVIRONMENTAL ADVANTAGE** = Line matrix consumables are inherently greener than serial or laser printer consumables, with a significantly better environmental coefficient achieved by using less cartridges and less shipping materials.


### add up to substantial gains in productivity and environmental responsibility



The TallyGenicom 6600 family is built to last for years and years, a key ecological benefit over shorter life cycle products such as laser and serial printers. Engineered with features that promote less energy consumption and generate less waste, the 6600 family of line matrix printers is environmentally responsible and provides the right printing solution for a greener world.

“ We needed to do a series of hard resets via the Web Panel and we found that it was generally seamless in the ability to maintain online printing capability.”

Jeff Lucas  
Yellow Transportation and Roadway



## Reliable Connectivity, Seamless Installation and Robust Remote Printer Management



- + CONTROL YOUR ENTIRE GLOBAL PRINTING NETWORK FROM ANYWHERE =** Higher efficiency. Boost your company’s productivity with the power of PrintNet Suite™ remote printer management solutions. The PrintNet Suite is a valuable time-saving tool for your mission critical printing network.
- + PLUG AND PRINT =** No down time. Intellifilter™ gives you the widest possible range of emulations, configurability and tools at your disposal. Installation requires no host changes, allows for easy data stream substitutions, and is done without reprogramming. Do you have custom print job files already set up? No problem, Intellifilter works with the files you have already created.
- + WEB PANEL™ =** Never out of touch. Designed for single printer management, Web Panel continues the TallyGenicom tradition of offering you quick remote printer management through any web browser and requires no special installation or configuration.
- + PRINTNET ENTERPRISE™ =** Total control. Your worldwide print operation is at your fingertips with PrintNet Enterprise. By combining a fully integrated Ethernet adapter and Java-based software, remote printer management extends your reach from anywhere you have a computer and connectivity.
  - Configure and monitor printers
  - Be alerted to printer issues from emails, pager or mobile phone alerts
  - Complete compatibility with any TallyGenicom product when equipped with the optional Ethernet card

- + EXTENDED FORMS SUPPORT =** The 6600Q Cabinet can be equipped with extended doors to accommodate larger forms. A single extended door will support a form up to 14" and two doors will allow up to 17".



- + LOW REAR TRAY =** This output tray is ideal for larger print runs. The adjustable back bar keeps the paper aligned and neat.

- + FRONT TRAY =** This tray raises the paper off the floor and allows for easy mobility of paper and printer.

- + HIGH REAR TRAY =** This tray works well for printers that are placed against a wall and output is limited to short runs. It also enables easy access from the front of the printer.



the Power  
of



- + POWER STACKER =** Toughest forms can be printed and neatly stacked without interruption. An essential option for full box printing.



- + FRONT PAPER ACCESS =** Load forms and retrieve printed output from the front of the 6600Q cabinet. This option allows you to better utilize office space by placing the printer against a wall.



- + ACOUSTIC SHROUD =** Reduce noise on the 6600 open pedestal with this easy to install option. By reducing the sound emanating from the paper exit, the noise level can be reduced by 4dBA.

“ The speed at which we produce 3000 invoices a day is the most critical element to us. I don’t expect I’ll have any couriers lined up anytime soon, waiting on the new printer.”

Kathy MacKinnon  
Procurity Inc.



“ For me, it has been very easy to transition over to the new printer, especially with the ease of getting the paper out and the simplicity of the tractors. It definitely was a Plug and Print situation – out of the box and up and running in 10 minutes.”

Micky Barber  
Rawson Inc.



1-866-430-6202  
[www.tgimpactprinters.com](http://www.tgimpactprinters.com)

# TallyGenicom 6600 Series of Line Matrix Printers

the Power  
of



## Technical Specifications

Printer Features	Open	Quiet	Zero Tear	Cabinet		
	6605 Pedestal 6615	6605 Pedestal 6615	6605Z 6610Z 6615Z	6605Q 6610Q 6615Q	6620Q	
<b>Standard</b>						
Integrated Print Management	•	•	•	•	•	
Ribbon Life Monitor	•	•	•	•	•	
<b>Options</b>						
SureStak® Power Stacker					•	
Black back forms paper out sensor	•	•	•	•	•	
Rear Slide Out Paper Drawer					•	
Cabinet Front Access					•	
Pedestal Front Paper Tray	•		•			
Pedestal High Rear Paper Tray	•	•	•			
Pedestal Acoustic Shroud	•	Standard				
<b>Physical Size</b>	<b>Height</b>	36" (914.4mm)	36" (914.4mm)	42" (1066.8mm)	40.5" (1028.7mm)	40.5" (1028.7mm)
	<b>Width</b>	26" (660.4mm)	26" (660.4mm)	26" (660.4mm)	27" (685.8mm)	27" (685.8mm)
	<b>Depth</b>	21.5" (546.1mm)	25" (635mm)	21.5" (546.1mm)	29" (736.6mm)	33" (838mm)
	<b>Shipping Weight</b>	165 lbs (74.842kg) <i>Not including Rear Tray</i>	190 lbs (86.182kg) <i>With Acoustic Shroud</i>	180 lbs (81.646kg)	265 lbs (120.201kg)	300 lbs (136kg) <i>With SureStak Power Stacker</i>
<b>Acoustic</b> (dBA) (per ISO 7779)	6605 - 62	6605 - 58	6605Z - 66	6605Q - 50		
	6610 - 65	6610 - 60	6610Z - 70	6610Q - 50		
	6615 - 68	6615 - 63	6615Z - 70	6615Q - 52	6620Q - 55	
<b>shown by Printer models</b>						
	<b>6605</b> <b>6605Q</b> <b>6605Z</b>	<b>6610</b> <b>6610Q</b> <b>6610Z</b>	<b>6615</b> <b>6615Q</b> <b>6615Z</b>	<b>6620Q</b>		
<b>Print Speed</b> (LPM, upper case characters, lower case characters)	<b>High Speed (draft)</b>	500/428	1000/856	1500/1289	2000/1700	
	<b>Data Processing</b>	375/300	750/600	1125/900	1500/1200	
	<b>Near Letter Quality</b>	200/154	400/306	600/459	800/615	
<b>Graphics Speed</b> (Inches Per Minute)	<b>60 x 48 dpi</b>	63	125	187	250	
	<b>60 x 72 dpi</b>	42	83	127	167	
	<b>90 x 96 dpi</b>	21	42	61	83	
<b>Paper Feed Speed</b> (Inches Per Second)	12	20	25	38.5		



6600 Open Pedestal

6600Q Cabinet

6600Z Zero Tear

6600 Quiet Pedestal

# TallyGenicom 6600 Family of Line Matrix Printers

<b>Character Pitch</b>	5, 6, 6.7, 7.5, 8.3, 8.6, 10, 12, 13.3, 15, 16.7, 17.1, 20 (characters per inch)			
<b>Line Spacing</b>	1.5, 2, 3, 4, 5, 6, 8, 9, 10, 12 (lines per inch – plus variable line spacing)			
<b>Graphics Resolution</b>	180 dpi Horizontal, 144 dpi Vertical (max)			
<b>Dot Size</b>	16.7 mil (.42mm)			
<b>Emulations Standard</b>	Tally ANSI, Genicom ANSI, P5000/P600/P6000, Epson FX-1180, IBM Proprinter, MTPL (Tally Dot Matrix), PGL (TG Version), QMS Code V, Tally Industrial Graphics, PCL-3: HP-2564C, DEC LG01			
<b>Character Sets</b>	47 languages and 43 character sets			
<b>Character Styles</b>	Bold, italic, superscript, subscript, underline, overline, strike-through			
<b>Fonts</b>	Draft, Data Processing, Courier, Gothic, OCR A and B			
<b>Barcodes</b>	Code 39, Code 128, Interleaved 2 of 5, UPC-A, UPC-E, EAN 8, EAN 13, EAN 128, Codabar, MSI, PDF-417, Postnet, Intelligent Mail Barcode (IMB)			
<b>Printer Software</b>	TallyGenicom PrintNet Suite of Tools - remote management software suite - included with the Ethernet option			
<b>Printer Drivers</b>	Win 7, Vista, XP, Windows 2000, Server 2003, Server 2008, Server 2008r2, Linux, Unix, AIX, SAP			
<b>Environmental Advantages</b>	ENERGY STAR® qualified, lower consumable materials and packaging, improved handling of recycled paper, faster power-up from sleep mode than laser printers			
<b>Genuine TallyGenicom Cartridge Ribbons</b>	Standard Life	17,000 pages		
	Extended Life*	30,000 pages	*Not compatible with 500 LPM printer models	
<b>Paper Path/Handling</b>	Straight paper path with easy-load adjustable tractors, paper-out detection and alarm, paper-motion detection and alarm			
<b>Paper Type</b>	Continuous, fan folded, edge-perforation			
<b>Print Width</b>	13.6" (345mm)			
<b>Media Width</b>	3" (76mm) to 17" (432mm)			
<b>Media Copies</b>	Up to 6 parts			
<b>Media Weight</b>	15 to 100 lbs up to 0.025" thickness 56 to 163 gm/m <sup>2</sup> up to 0.64mm thickness			
<b>MTBF*</b>	10,000 hours at 25% duty cycle and 25% page density (*Mean Time Between Failures)			
<b>Interfaces</b>	Serial – RS-232 Parallel – IEEE-1284/Centronics Ethernet – PrintNet Suite 10/100 Base T (optional) Auto Switching – Between active ports			
<b>Power Voltage</b>	AC input range 100 - 120, 200 - 240VAC and 50/60Hz			
<b>Power Wattage (ENERGY STAR)</b>	Less than 14 Watts in energy saving mode			
<b>Power Wattage (typical)</b>	6605/6605Q/6605Z	175 Watts	6615/6615Q/6615Z	390 Watts
	6610/6610Q/6610Z	260 Watts	6620Q	475 Watts



© 2013 Printronix, Inc. All rights reserved. Genicom, Tally, TallyGenicom, TG TallyGenicom, the TG Logo, Intellifilter, Intelliprint, PrintNet Suite, PrintNet Enterprise, PrintNet, Smart Ribbon and Printronix are trademarks or registered trademarks of Printronix, Inc. All other trademarks, product names, company names or logos herein are the property of their respective owners. Product appearance and/or specifications are subject to change without notice.  
PTX\_602A(10/13)



GET A QUICK QUOTE. COMPLETE THE FOLLOWING  
AND FAX TO: 817.430.6250

# GET A QUOTE

**Your Name:**

---

**Phone:**

---

**Your Organization:**

---

**Fax:**

---

**From: TGIMPACTPRINTERS.COM**

---

**Phone: 1.866.430.6202**

---

**Fax: 817.430.6250**

---

**QUOTE REQUEST FOR TALLYGENICOM 6600 LINE PRINTERS**

---

**Additional Information:**

---

---

---